

Adjusted by:   
 E-mail:   
 Adjusted for:

Tel:   
 Date:

Total weight (g):

The weight changes based on the choices made below.

S3 Swing has divided, swing away leg support and an adjustable rear axle in carbon fibre. To find a balance that suits you the rear axle can be adjusted into different positions. Note desired measure at "Settings". S3 Swing has a seat height of 45cm in front and 43 cm at the rear, without cushion. To adjust the seat height you can chose other rearwheel sizes or a raising Kit with suitable castor fork from the List of options.  
**Max userweight: 100 kg for seat width 33-42 and 150kg for seat width 45-50 cm.**

Save the guide to the "desktop" and open it with [Adobe Reader](#), for best function Design your wheelchair by clicking in the circles in this guide. Blue, underlined text is clickable to show info or image. BB = seatwidth, HH= backrest height

**Original design**

**Alternative options**

**Other options**

[info](#)

**1) Chassis colour**

- Black - Anodic Black
- Clear

- Optional colour - A higher price and longer delivery time for optional colour

[Optional colour](#) \_\_\_\_\_

**2) Seat width (BB)**

[art.no.](#)

- 36 cm
- 39 cm
- 42 cm
- 45 cm
- 50 cm

- Clear

Art.no include: chassis, seat, backrest lock



**3) Back rest**

- S3 standard  
523BBHH VER2
- Clear

Height (HH)

- 20 cm
- 25 cm
- 30 cm
- 35 cm
- 40 cm
- 45 cm
- Clear

- Tapered  
525BBHH VER2
- Curved back  
524BBHH VER2

[Info](#)

- Other back rest

[List of options](#) art. \_\_\_\_\_



**4) Rear axle**

- Carbon standard  
33023BB
- Clear

- Carbon +15 mm  
33023BC\*

\* seat width BB +1

Use this rear axle when choosing arm support at Accessories and/or increased seat height

- Other rear axle or seat height

[Increase seat height](#)

[List of options](#) art. \_\_\_\_\_



**5) Castor and fork**

- 120 mm  
[art.no.](#)
- Clear

- 90 mm  
[art.no.](#)
- 150 mm  
[art.no.](#)

**6) Footrest**

- Swing S3 cpl pair  
[art.no.](#)
- Clear

- Foot plate large, extended 80mm\_forward  
[art.no.](#)

- Extended tubes 40 mm  
[art.no.](#)
- Heel straps for footplates  
[art.no.](#)



**7) Brake**

- Brake S3  
4630000
- Clear

**8) Rear wheel - without pushrim**

- 24" Standard  
[art.no.](#)
- Clear

- 22" Standard  
[art.no.](#) [Rear wheel sizes](#)
- 25" Spinergy X black spokes  
[art.no.](#)
- 26" Spinergy X black spokes  
[art.no.](#)

- Other rear wheel

[List of options](#) art. \_\_\_\_\_



**Tire - choose tire**

- Schwalbe Right Run 24", 25", 26"
- Clear

- Rugged 24"
- Schwalbe Marathon Plus 24", 25"

- PU 24" (massive)



**9) Pushrim**

- Titanium  
190DD11 (x2 / wheelchair)
- Clear

- Paragrip  
19051DDBT x2
- Tetragrip  
19052DDBT x2

- Maxgrip 22", 24" (contains latex)  
1903060 x2 (04=24", 05=22")
- Aluminum  
1904404 x2 (04=24", 05=25", 06=26")

DD = Wheel diameter

## Accessories



### Side guard S3

- [Side guard S3](#) [Video art.no.](#)
- Clear



### Arm support

- [Arm support S3](#) [Video art.no.](#)



### Side guard Carbon

- [Side guard Carbon](#) [art.no.](#)



### Push handles

- [Height adjustable S3](#) [Video](#)  
4252060 VER2
- [Height adjustable S3 +10](#)  
4252063 VER2  
Max. userweight 100kg
- Clear



### Push handle Foldable

- [Foldable S3](#) [Video](#)  
4245000



### Push bar

- [Push bar S3](#)  
42400BB VER2  
Max. userweight 100kg



### Anti-tip

- [Anti-tip](#) std seat height  
4353000 [Video](#)

[Other seat height](#)



### Cushion

- [2,5 cm](#)  
572BB40
- [5 cm](#)  
575BB40
- Clear



### Spoke protectors

- [24" Panthera logo](#)  
4500000
- [24" without logo](#)  
4500011
- Clear



### Other

- [Tube protection front](#)  
9900251 (2 pcs)
- [Tube protection rear](#)  
9900251 (1 pcs)
- [Crutch holder S3](#) \_\_\_\_\_ pcs
- 9900301 (x1/crutch)
- [Backrest wedge](#) \_\_\_\_\_ st  
4710012

## Set-up adjustments



### Backrest angle

Note measure (A) for desired back rest angle.  
14-28 mm. Standard=18 mm

A= \_\_\_\_\_ mm



### Rear axle adjustment

Note measure (A) for desired balance.  
Standard=40 mm, for raised rear axle= 31 mm

A= \_\_\_\_\_ mm



### Footrest height

Note measure (A) and (B) for the footrest.

A= \_\_\_\_\_ mm      B= \_\_\_\_\_ mm



### Transportation marking

- YES do mark the wheelchair with attachment points for transport in disabled service vehicle.

NOTE! See [manual](#) for more information.

Extra