

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: ANIOSURF ND PREMIUM

Product code: 2436000.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Cleaning and disinfection of floors, walls and material.

For further information on product indication, please see the label.

### 1.3. Details of the supplier of the safety data sheet

Registered company name: Laboratoires ANIOS.

Address: PAVE DU MOULIN .59260.LILLE - HELLEMMES.FRANCE. Telephone: + 33 (0)3 20 67 67 67. Fax: + 33 (0)3 20 67 67 68.

e:mail : fds@anios.com www.anios.com

# 1.4. Emergency telephone number: + 33(0)1 45 42 59 59.

Association/Organisation: INRS.

### **SECTION 2: HAZARDS IDENTIFICATION**

# 2.1. Classification of the substance or mixture

### In compliance with EC regulation No. 1272/2008 and its amendments.

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

Hazardous to the aquatic environment - Acute hazard, Category 1 (Aquatic Acute 1, H400).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

# 2.2. Label elements

Detergent mixture (see section 15).

This mixture being intended for professional use only, the labelling for contents under detergent regulation does not appear on the label but is resumed in section 15

# In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :





GHS05

5H3U3 GF

Signal Word : DANGER

Product identifiers :

EC 230-525-2 DIDECYLDIMETHYLAMMONIUM CHLORIDE

Hazard statements :

H315 Causes skin irritation.
H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements - General:

P102 Keep out of reach of children.

Precautionary statements - Prevention :

## ANIOSURF ND PREMIUM - 2436000

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection/face protection.

Precautionary statements - Response :

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

Precautionary statements - Disposal:

P501 Dispose of product and its container as hazardous waste.

### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European

CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

No other hazard identified in the current state of knowledge.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Title for H and EUH statements: see § 16.

#### 3.2. Mixtures

## Composition:

| Identification                  | (EC) 1272/2008             | Note | %               |
|---------------------------------|----------------------------|------|-----------------|
| CAS: 7173-51-5                  | GHS06, GHS05, GHS09        |      | 2.5 <= x % < 10 |
| EC: 230-525-2                   | Dgr                        |      |                 |
|                                 | Acute Tox. 3, H301         |      |                 |
| DIDECYLDIMETHYLAMMONIUM         | Skin Corr. 1B, H314        |      |                 |
| CHLORIDE                        | Aquatic Chronic 2, H411    |      |                 |
|                                 | Aquatic Acute 1, H400      |      |                 |
|                                 | M Acute = 10               |      |                 |
| INDEX: 603-117-00-0             | GHS02, GHS07               | [1]  | 2.5 <= x % < 10 |
| CAS: 67-63-0                    | Dgr                        |      |                 |
| EC: 200-661-7                   | Flam. Liq. 2, H225         |      |                 |
| REACH: 01-2119457558-25         | Eye Irrit. 2, H319         |      |                 |
|                                 | STOT SE 3, H336            |      |                 |
| PROPAN-2-OL                     |                            |      |                 |
| CAS: 18472-51-0                 | GHS05, GHS09               |      | 0 <= x % < 2.5  |
| EC: 242-354-0                   | Dgr                        |      |                 |
| REACH: 01-2119946568-22         | Eye Dam. 1, H318           |      |                 |
|                                 | Aquatic Acute 1, H400      |      |                 |
| D-GLUCONIC ACID, COMPOUND WITH  | M Acute = 10               |      |                 |
| N,N"-BIS(4-CHLOROPHENYL)-3,12-  | Aquatic Chronic 1, H410    |      |                 |
| DIIMINO-2,4,11,13-TETRAAZATETRA | M Chronic = 1              |      |                 |
| DECANEDIAMIDINE (2:1)           |                            |      |                 |
| CAS: 90640-43-0                 | GHS06, GHS05, GHS09, GHS08 |      | 0 <= x % < 2.5  |
| EC: 292-562-0                   | Dgr                        |      |                 |
| REACH: 01-2119957843-25         | Acute Tox. 3, H301         |      |                 |
|                                 | Skin Corr. 1B, H314        |      |                 |
| AMINES,                         | STOT RE 1, H372            |      |                 |
| N-C12-14-ALKYLTRIMETHYLENEDI-   | Aquatic Acute 1, H400      |      |                 |
|                                 | M Acute = 100              |      |                 |
|                                 | Aquatic Chronic 1, H410    |      |                 |
|                                 | M Chronic = 1              |      |                 |

## Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

# In the event of exposure by inhalation :

Move the person away from the place of exposure and take him/her outside.

## In the event of splashes or contact with eyes :

If applicable, remove contact lenses.

Wash thoroughly with soft clean water for 15 minutes, holding the eyelids open.

Take care not to introduce rinsing water in the undamaged eye.

Additional treatment to be provided immediately in an eye clinic or by an ophthalmologist. Show this container or label.

Continue rinsing until medical advice is obtained.

### In the event of splashes or contact with skin:

Remove all contaminated or stained clothing immediately. Do not use them again until they have been decontaminated.

Rinse immediately and thoroughly with water.

In the event of skin irritation, seek medical advice.

#### In the event of swallowing:

Rinse out the mouth, do not allow to drink, do not induce vomiting. Calm the person down and transfer immediatly to hospital or doctor. Show the label to the doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Cf. § 11

## 4.3. Indication of any immediate medical attention and special treatment needed

Refer to the recommendation of the doctor.

### **SECTION 5: FIREFIGHTING MEASURES**

### 5.1. Extinguishing media

### Suitable methods of extinction

Any extinguishing agents are authorized: foam, sand, carbon dioxide, water, powder.

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

### 5.3. Advice for firefighters

Use autonomous insulating breathing apparatus and a full protective suit.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

Take care not to skid.

Avoid all contact with skin or eyes.

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Do not get rid in natural spaces (waterways, ground and vegetations...)

# 6.3. Methods and material for containment and cleaning up

Absorb any spilled product with absorbent non-combustible materials, and sweep away or remove with a shovel. Put any waste in drums for disposal. Do not mix with any other waste. Wash the contaminated surface thoroughly with water.

For small quantities, dilute the product with large quantities of water and rinse away.

Do not put any spilt product back into its original container with the intention of re-use.

Do not get rid in natural spaces.

### 6.4. Reference to other sections

Disposal considerations: see section 13.

### **SECTION 7: HANDLING AND STORAGE**

### 7.1. Precautions for safe handling

Product for external use - do not swallow.

Avoid all contact with skin or eyes.

Handle in accordance with user instructions on label

### Fire prevention:

Prevent access by unauthorised personnel.

# Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this mixture at all times.

Safety shower, eye bath and water point nearby.

## Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep the container tightly closed

Store ONLY in the original package.

Store between + 5 °C and + 35 °C in a dry, well ventilated place

Do not use after the expiry date mentioned on the packaging.

Keep out of the reach of children

### 7.3. Specific end use(s)

For professional use only

Refer to paragraph 1 for product indication

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

The information in this chapter refers to the product specifically described in this document. If the product is handled and/or exposed simultaneously with other chemical agents, these must be taken into consideration when choosing personal safety equipment.

The Exposure Threshold Limit Value and the Average Exposure Value given below are quoted by the CAS number of the substance. Paragraph 3 details the chemical name corresponding to the CAS number.

### 8.1. Control parameters

### Occupational exposure limits:

- Germany - AGW (BAuA - TRGS 900, 21/06/2010) :

| CAS         | VME:                    | VME :                   | Excess                | Notes        |            |          |
|-------------|-------------------------|-------------------------|-----------------------|--------------|------------|----------|
| 67-63-0     |                         | 200 ppm<br>500 mg/m3    |                       | 2(II)        |            |          |
| - Belgium   | (Order of 19/05/2009,   | 2010):                  | '                     | !            |            |          |
| CAS         | TWA:                    | STEL:                   | Ceiling:              | Definition : | Criteria:  |          |
| 67-63-0     | 200 ppm                 | 400 ppm                 |                       |              |            |          |
|             | 500 mg/m3               | 1000 mg/m3              |                       |              |            |          |
| - France (  | INRS - ED984 :2012) :   | •                       |                       |              |            |          |
| CAS         | VME-ppm:                | VME-mg/m3:              | VLE-ppm:              | VLE-mg/m3:   | Notes:     | TMP No:  |
| 67-63-0     | -                       | -                       | 400                   | 980          | -          | 84       |
| - Spain (Ir | nstituto Nacional de Se | eguridad e Higiene en e | el Trabajo (INSHT), M | ayo 2010) :  |            |          |
| CAS         | TWA:                    | STEL:                   | Ceiling:              | Definition : | Criteria:  |          |
| 67-63-0     | 400 ppm                 | 500 ppm                 |                       |              |            |          |
|             | 998 mg/m3               | 1250 mg/m3              |                       |              |            |          |
| - Poland (  | 2014) :                 | ·                       | ·                     | :            | ·          | <u> </u> |
| CAS         | TWA:                    | STEL:                   | Ceiling:              | Definition : | Criteria : |          |
| 67-63-0     | 900 mg/m3               | 1200 mg/m3              |                       |              |            |          |
| - Czech R   | epublic (Regulation No  | o. 361/2007):           | ·                     | :            | ·          | ·        |
| CAS         | TWA:                    | STEL:                   | Ceiling:              | Definition : | Criteria : |          |
| 67-63-0     | 500 mg/m3               | 1000 mg/m3              |                       | I            |            |          |
| - Slovakia  | (Regulation No. 300/2   | 2007) :                 | ·                     | :            | ·          | <u> </u> |
| CAS         | TWA:                    | STEL:                   | Ceiling:              | Definition : | Criteria : |          |
| 67-63-0     | 200 ppm                 | 1000 mg/m3              |                       |              |            |          |
|             | 500 mg/m3               |                         |                       |              |            |          |
| - Switzerla | and (SUVA 2015) :       |                         |                       |              |            |          |
| CAS         | VME                     | VLE                     | Valeur plafond        | Notations    |            |          |
| 67-63-0     | 200 ppm                 | 400 ppm                 |                       | B SSC        |            |          |
|             | 500 mg/m3               | 1000 mg/m3              |                       |              |            |          |
| - UK / WE   | L (Workplace exposur    | e limits, EH40/2005, 20 | 007):                 |              |            |          |
| CAS         | TWA:                    | STEL:                   | Ceiling:              | Definition : | Criteria : |          |
| 67-63-0     | 400 ppm                 | 500 ppm                 |                       |              |            |          |
|             | 999 mg/m3               | 1250 mg/m3              |                       |              |            |          |

# 8.2. Exposure controls

### Appropriate engineering controls

Ensure the rooms are well-ventilated. Atmospheric concentrations at the workplace must not exceed the limit values given for normal conditions of use.

# Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation,

especially in confined areas.

## - Eye / face protection

Before handling, wear safety goggles with protective sides accordance with standard EN166.

Prescription glasses are not considered as protection.

Avoid all contact with skin or eyes.

Provide eye washes in workshops.

If necessary, the nearest water supply

#### - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

When handling this product, wear suitable gloves.

Nitrile, latex or vinyl gloves.

Gloves must be replaced immediately if they show signs of wear and tear.

#### - Body protection

Avoid skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

### - Respiratory protection

In case of insufficient ventilation, with the risk of exceeding the TLVs (Threshold Limit values), wear suitable breathing apparatus (mask which filters organic vapours - type A protection)

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

# General information :

| Physical state : | Fluid liquid.  |
|------------------|----------------|
| Odour:           | sweet-smelling |
| Colour:          | green          |

### Important health, safety and environmental information

| pH:                                       | Not stated.    |
|---|----------------|
|   | Neutral.       |
| Boiling point/boiling range :             | Not specified. |
| Flash point interval :                    | Not relevant.  |
| Vapour pressure (50°C):                   | Not relevant.  |
| Density:                                  | +/- 1.0        |
| Water solubility:                         | Dilutable.     |
| Melting point/melting range :             | Not specified. |
| Self-ignition temperature :               | Not specified. |
| Decomposition point/decomposition range : | Not specified. |

# 9.2. Other information

| 0.2. 0.1.0. 1.1.0. |           |  |
|--------------------|-----------|--|
| pH pure product:   | 6.0 - 8.0 |  |

# **SECTION 10: STABILITY AND REACTIVITY**

### 10.1. Reactivity

No hazardous reaction if the instructions/indications for storage and handling are respected.

# 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

# 10.3. Possibility of hazardous reactions

Cf. § 10.1 and 10.2

# 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

Do not mix with other products.

Refer to the scientific folder\*: product/material compatibility table

\* available on request

### 10.6. Hazardous decomposition products

At high temperatures, dangerous decomposition products may be produced, such as fumes, carbon dioxide and carbon monoxide, nitrogen oxide.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on toxicological effects

#### 11.1.1. Substances

Not specified

#### 11.1.2. Mixture

The toxicological data of the mixture (resulting from studies or in accordance with conventional methods) are outlined below.

#### Acute toxicity:

Acute toxicity estimate (ATE)\*:

Oral ATE : > 2000 mg/kg

\* according to the method of calculation describe in the CLP regulation (Classification, Labelling, Packaging) Part 3 Chapter 3.1 based on the data of the different components present in the product.

Ingestion may lead to irritation of the digestive system, abdominal pain, headaches and nausea.

### Skin corrosion/skin irritation:

Skin irritation: itching, light to moderate local redness, burning sensation...

Corrosivity: No observed effect.

OCDE Ligne directrice 431 (Corrosion cutanée in vitro : Essai sur modèle de peau humaine)

#### Serious damage to eyes/eye irritation :

Serious eyes damage.

Burns, characterized by discomfort or pain, excessive blinking, lacrimation and redness, swelling of the conjunctiva.

#### Respiratory or skin sensitisation:

Product not classified in this hazard category.

# Germ cell mutagenicity:

Product not classified in this hazard category.

#### Carcinogenicity:

Product not classified in this hazard category.

### Reproductive toxicant:

Product not classified in this hazard category.

### Specific target organ systemic toxicity - single exposure :

Product not classified in this hazard category.

# Specific target organ systemic toxicity - repeated exposure :

Product not classified in this hazard category.

### Aspiration hazard:

Product not classified in this hazard category.

# SECTION 12 : ECOLOGICAL INFORMATION

Following information is based on data from the compounds.

Avoid any product release into waterways.

### 12.1. Toxicity

# 12.1.1. Substances

Not specified

## 12.1.2. Mixtures

Acute toxicity:

Very toxic to aquatic organisms.

Chronic toxicity:

Harmful to aquatic life with long lasting effects.

# 12.2. Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

### 12.3. Bioaccumulative potential

No data available.

# 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

The packages must not be reused.

Do not pour into waterways.

### 13.1. Waste treatment methods

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

## Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

### Codes of wastes (Decision 2014/955/EC, Directive 2008/98/EEC on hazardous waste):

18 01 06 \* chemicals consisting of or containing dangerous substances

To be translated (XML)

For information:

The following waste codes are given as guidelines only.

The waste code must be determined by the user, according to the application of the product.

18 = Wastes from human or animal health care and/or related research (except kitchen and restaurant wastes not arising from immediate health care)

20 = Municipal wastes and similar commercial, industrial and institutional wastes including separately collected fractions

## **SECTION 14: TRANSPORT INFORMATION**

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2017 - IMDG 2016 - ICAO/IATA 2017).

### 14.1. UN number

3082

# 14.2. UN proper shipping name

UN3082=ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(didecyldimethylammonium chloride)

# 14.3. Transport hazard class(es)

- Classification :



9

# 14.4. Packing group

Ш

### 14.5. Environmental hazards

- Environmentally hazardous material :



# 14.6. Special precautions for user

| ADR/RID | Class | Code | Pack gr. | Label | Ident. | LQ  | Provis. | EQ | Cat. | Tunnel |
|---------|-------|------|----------|-------|--------|-----|---------|----|------|--------|
|         | 9     | M6   | Ш        | 9     | 90     | 5 L | 274 335 | E1 | 3    | -      |
|         |       |      |          |       |        |     | 375 601 |    |      |        |

\*Not subject to this regulation if Q <= 5 I / 5 kg (ADR 3.3.1 - DS 375)

| IMDG | Class | 2°Label | Pack gr. | LQ  | EMS     | Provis. | EQ |  |
|------|-------|---------|----------|-----|---------|---------|----|--|
|      | 9     | -       | Ш        | 5 L | F-A,S-F | 274 335 | E1 |  |
|      |       |         |          |     |         | 969     |    |  |

\*Not subject to this regulation if Q <= 5 I / 5 kg (IMDG 3.3.1 - 2.10.2.7)

| IATA | Class | 2°Label | Pack gr. | Passager | Passager | Cargo | Cargo | note     | EQ |
|------|-------|---------|----------|----------|----------|-------|-------|----------|----|
|      | 9     | -       | III      | 964      | 450 L    | 964   | 450 L | A97 A158 | E1 |
|      |       |         |          |          |          |       |       | A197     |    |
|      | 9     | -       | III      | Y964     | 30 kg G  | -     | -     | A97 A158 | E1 |
|      |       |         |          |          |          |       |       | A197     |    |

<sup>\*</sup>Not subject to this regulation if Q <= 5 I / 5 kg (IATA 4.4.4 - DS A197)

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

Regulation (EC) No. 1272/2008 and its amendments.

- Labelling for detergents (EC Regulation No. 648/2004,907/2006):
  - 5 % or over but less than 15 % : nonionic surfactants
  - disinfectants
  - perfumes

### 15.2. Chemical safety assessment

Information from the chemical safety assessment of substances present in the product is included in the appropriate sections of this safety data sheet, whenever necessary.

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture.

It is recommended that the information contained in this safety data sheet is provided to the users, if necessary in an appropriate form.

This information relates to the specifically designated product and may not be valid in combination with any another product. The product must not be used for applications other than those specified in heading 1 without having first obtained written handling instructions.

UPDATES SINCE PREVIOUS VERSION

- § 2
- §3
- §9
- § 12
- Implementation of Regulation (EC) no. 2016/918

### Wording of the phrases mentioned in section 3:

| worung or | the phrases mentioned in section 3.                              |
|-----------|--|
| H225      | Highly flammable liquid and vapour.                              |
| H301      | Toxic if swallowed.  |
| H314      | Causes severe skin burns and eye damage.                         |
| H318      | Causes serious eye damage.                                       |
| H319      | Causes serious eye irritation.                                   |
| H336      | May cause drowsiness or dizziness.                               |
| H372      | Causes damage to organs through prolonged or repeated exposure . |
| H400      | Very toxic to aquatic life.                                      |
| H410      | Very toxic to aquatic life with long lasting effects.            |
| H411      | Toxic to aquatic life with long lasting effects.                 |

### Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) ANIOSURF ND PREMIUM - 2436000 Version 6.1 (23-07-2018) - Page 9/9

GHS05 : Corrosion GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.