

# REAL 6100 PLUS ADULT



Doc.nr: 805081 Created: 190901 Updated: - Rev: 00

1 (3)

## Order form - your support for assessment, quotation and order

Use *Adobe Acrobat Reader* to complete this form digitally. Download the program [here](#).

Quotation  Order Number of chairs \_\_\_\_\_

### YOUR CONTACT INFORMATION

Name \_\_\_\_\_ Email \_\_\_\_\_ Phone \_\_\_\_\_

## 1 MODEL

Power module Color of seat, backrest and other upholstery (except armrests):

- LiNX
- |  |   |                               |                               |
|--|---|-------------------------------|-------------------------------|
| Plush  | Artificial leather  | Hygiene                       | Patterned                     |
| <input type="checkbox"/> Grey <input type="checkbox"/> REAL-blue | <input type="checkbox"/> Red <input type="checkbox"/> Black | <input type="checkbox"/> Grey | <input type="checkbox"/> Blue |
| <input type="checkbox"/> Marine <input type="checkbox"/> Black   | <input type="checkbox"/> Grey <input type="checkbox"/> Blue |                               |                               |
| <input type="checkbox"/> Bordeaux <input type="checkbox"/> Brown | <input type="checkbox"/> Brown                              |                               |                               |

## 2 SEAT

### SEAT UPHOLSTERY

Width x depth, in cm	40x39	40x43	40x48	44x43	44x48	44x53	48x48	48x53
ErgoMedic (EM)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
EM SlowRecovery	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
EM PLUS	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
EM PLUS SlowRecovery	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
EM wooden seat plate	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
EM wooden seat plate with Anti-slip	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

### SEAT TILT seat and backrest are tilted together <sup>1</sup>

- |   |   |  |                                   |
|---|---|--|-----------------------------------|
| Fixed interval                          | Allangle (= configurable)                           | Seat angle control                                 | Armrests follow tilt <sup>3</sup> |
| <input type="checkbox"/> No tilt        | <input type="checkbox"/> 15° fw, 8° bw              | <input type="checkbox"/> Handle control under seat | <input type="checkbox"/> Yes      |
| <input type="checkbox"/> 15° fw, 8° bw  | <input type="checkbox"/> 8° fw, 15° bw              | <input type="checkbox"/> Gas spring at armrest     | <input type="checkbox"/> No       |
| <input type="checkbox"/> 15° fw, 15° bw | <input type="checkbox"/> 0° fw, 23° bw <sup>2</sup> | <input type="checkbox"/> Electrical                |                                   |

<sup>1</sup> See section 7

<sup>2</sup> Requires rear base extenders

<sup>3</sup> Only for seat tilt "Allangle" and "15° fw, 15° bw"

## 3 BACKREST

### BACKREST UPHOLSTERY

Width x height, in cm	Low				High				
	33x26	35x20	38x26	40x20	33x36	35x43	40x34	42x43	46x43
ErgoMedic (EM)	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
EM SlowRecovery	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	
EM Support						<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
EM PLUS		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
EM PLUS SlowRecovery		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
EM PLUS side wedge						<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
EM PLUS Comfort (= lower back support)						<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
EM PLUS side wedge Comfort						<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
EM PLUS reinforced side wedge						<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
EM PLUS reinforced side wedge Comfort						<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
EM PLUS no scapula support <sup>4</sup>								<input type="checkbox"/>	<input type="checkbox"/>
EM PLUS no scapula support w side wedge <sup>4</sup>								<input type="checkbox"/>	<input type="checkbox"/>

<sup>4</sup> Only in grey plush

(more backrests on next page)

BACKREST UPHOLSTERY (CONTINUATION)	Low		High	
	39x30	45x30	39x40	45x40
Slingback (backrest with adjustable straps)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

### BACKREST MECHANISM

Model	Control position (only for comfort)
<input type="checkbox"/> Standard <input type="checkbox"/> Medic <input type="checkbox"/> Double Medic (Allangle required)	<input type="checkbox"/> Armrest right front <input type="checkbox"/> Armrest left front <input type="checkbox"/> Armrest right back <input type="checkbox"/> Armrest left back
<input type="checkbox"/> Comfort <input type="checkbox"/> Electric <input type="checkbox"/> Slingback	

## 4 ARMREST

ARMREST PLATE black molded / artificial leather	ARMREST MECHANISM																																													
<table border="1"> <thead> <tr> <th>Length in cm</th> <th>25</th> <th>30</th> <th>35</th> <th>40</th> <th>42</th> <th>45</th> </tr> </thead> <tbody> <tr> <td>Mobile</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td></td> <td></td> </tr> <tr> <td>ErgoMedic</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td></td> <td></td> </tr> <tr> <td>Extra Soft</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td></td> <td></td> <td></td> </tr> <tr> <td>ErgoMedic PLUS</td> <td></td> <td>L <input type="checkbox"/> R <input type="checkbox"/></td> <td></td> <td></td> <td>L <input type="checkbox"/> R <input type="checkbox"/></td> <td></td> </tr> <tr> <td>Hemiplegia</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>L <input type="checkbox"/> R <input type="checkbox"/></td> </tr> </tbody> </table>	Length in cm	25	30	35	40	42	45	Mobile	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			ErgoMedic	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			Extra Soft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				ErgoMedic PLUS		L <input type="checkbox"/> R <input type="checkbox"/>			L <input type="checkbox"/> R <input type="checkbox"/>		Hemiplegia						L <input type="checkbox"/> R <input type="checkbox"/>	<table border="1"> <thead> <tr> <th>Model</th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/> PLUS (non foldable)</td> </tr> <tr> <td><input type="checkbox"/> Foldable backwards</td> </tr> </tbody> </table>	Model	<input type="checkbox"/> PLUS (non foldable)	<input type="checkbox"/> Foldable backwards
Length in cm	25	30	35	40	42	45																																								
Mobile	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																										
ErgoMedic	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																										
Extra Soft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																											
ErgoMedic PLUS		L <input type="checkbox"/> R <input type="checkbox"/>			L <input type="checkbox"/> R <input type="checkbox"/>																																									
Hemiplegia						L <input type="checkbox"/> R <input type="checkbox"/>																																								
Model																																														
<input type="checkbox"/> PLUS (non foldable)																																														
<input type="checkbox"/> Foldable backwards																																														

## 5 CHASSIS

### ACTUATOR FOR SEAT HEIGHT

Electric seat height adjustment, in cm <sup>5</sup>	User weight
<input type="checkbox"/> Extra low 33-48 <input type="checkbox"/> Low 38-58 <input type="checkbox"/> High 46-74	<input type="checkbox"/> 0-135 kg <sup>6</sup>

<sup>5</sup> Seat height measured between floor and bottom of seat (without seat tilt)

<sup>6</sup> For user weight exceeding 135 kg, contact Mercado customer service

### CHASSIS (6100 PLUS)

Model	Rear leg extenders
<input type="checkbox"/> 6-wheels with LiNX electrical system	<input type="checkbox"/> Yes <input type="checkbox"/> No

## 6 OPTIONAL AND ALTERNATIVE EQUIPMENT

### JOYSTICK

Model	Position	Attachment
<input type="checkbox"/> LiNX REM211 <input type="checkbox"/> LiNX REM400 <input type="checkbox"/> LiNX REM500 + Special joystick	<input type="checkbox"/> Right armrest <input type="checkbox"/> Left armrest <input type="checkbox"/> On table/tray <input type="checkbox"/> Attendant remote control	<input type="checkbox"/> ParaLoc <input type="checkbox"/> Operating arm long (115 mm) <input type="checkbox"/> Operating arm short (95 mm)
Primary controls for seating functions <input type="checkbox"/> With joystick <input type="checkbox"/> With 10 button keypad LiNX	Special joystick <input type="checkbox"/> Mini-joystick <sup>7</sup> <input type="checkbox"/> Finger steering <input type="checkbox"/> Attendant control <input type="checkbox"/> Head control <sup>7</sup> <input type="checkbox"/> Heavy duty joystick <sup>7</sup>	Alternative joystick shapes <input type="checkbox"/> Half-moon Ø50 mm <input type="checkbox"/> Stick Ø30 x h80 mm <input type="checkbox"/> Ball Ø30 mm <input type="checkbox"/> Soft yellow ball Ø30 mm <input type="checkbox"/> Ball Ø50 mm

<sup>7</sup> Not compatible with REM211

**LEGREST** Adjustable interval, in cm

Legrest Medic <input type="checkbox"/> M 23-32 <input type="checkbox"/> L 28-41 <input type="checkbox"/> XL 38-50	Legrest split Medic <input type="checkbox"/> M 23-32 <input type="checkbox"/> L 28-41 <input type="checkbox"/> XL 38-50	Legrest center mounted <input type="checkbox"/> 30-38 (W29xD24) <input type="checkbox"/> 37-53 (W29xD24) <input type="checkbox"/> 30-38 Mini (W25xD18) <input type="checkbox"/> 37-53 Mini (W25xD18) <input type="checkbox"/> 30-38 Slim (W32xD10) <input type="checkbox"/> 37-53 Slim (W32xD10)	<input type="checkbox"/> Rim on back and sides of footplate <input type="checkbox"/> Electrical angle (0-90°) <input type="checkbox"/> Electrical length compensating legrest (0-90°)	Adapter for Cross legrest <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Including Cross legrest
--	--	--	---	--

**EXTRA SUPPORT** Width x height, in cm

Trunk support <sup>8</sup> <input type="checkbox"/> Straight <input type="checkbox"/> Curved <input type="checkbox"/> Curved and adjustable	Side support <input type="checkbox"/> 28x8 <input type="checkbox"/> 24x14 <input type="checkbox"/> 30x16	Hip belt (length) <input type="checkbox"/> M 63-83 <input type="checkbox"/> L 83-103	Attachment for belt/harness <input type="checkbox"/> Attachment hip belt <sup>9</sup> <input type="checkbox"/> Attachment 4-point harness <input type="checkbox"/> Attachment H-harness	
Neckrest <sup>8</sup> <input type="checkbox"/> Flat 29x16 <input type="checkbox"/> Concave 31x18 <input type="checkbox"/> ErgoMedic PLUS 30x23 <input type="checkbox"/> ErgoMedic PLUS 30x8	Neckrest mechanism <sup>8</sup> <input type="checkbox"/> Height adjustable <input type="checkbox"/> Height and sideways adjustable	Knee support <input type="checkbox"/> 15x8	Calf support <input type="checkbox"/> 15x13	Leg abductor (width) <input type="checkbox"/> 11

<sup>8</sup> Only for high backrest

<sup>9</sup> Not needed if the selected option for seat tilt is "Allangle"

BATTERY CHARGER	UPTIME METER	COVER	IMPACT PROTECTION	TABLE/TRAY
<input type="checkbox"/> Yes <input type="checkbox"/> No <sup>10</sup>	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Backrest, plush <input type="checkbox"/> Seat, plush <input type="checkbox"/> Backrest, water resistant <input type="checkbox"/> Seat, water resistant	<input type="checkbox"/> Impact protection for front wheels	<input type="checkbox"/> Table 37x45 cm foldable <input type="checkbox"/> Table 60x45 cm foldable <input type="checkbox"/> Tray 45x30 cm

<sup>10</sup> CE marking not valid if product is used with charger other than chargers tested and approved by Mercado Medic

## 7 PRESCRIPTION RECOMMENDATIONS

The backrest mechanism Double Medic should be prescribed when:

- ... there is a risk for involuntary movements which may cause great stress on the backrest mechanism over a long period of time.
- ... the user is over 200 cm long and has a backward tilted pelvis, in combination with a seat unit that can tilt more than 8° backward, and neck support.
- ... the seat unit can be tilted more than 15° backward and the user weighs more than 100 kg.
- ... the reinforced seat frame Allangle +15°/-23° is selected due to high loads.
- ... a user with spasms or repeated rocking movements is going to use the chair.
- ... backrest upholstery wider than 46 cm is mounted on the chair in combination with 15° tilt backward.

## COMMENTS